

Formulae and Tables

Summary Statistics:

Suppose $Y_1, Y_2, \dots, Y_n \sim N(\mu_Y, \sigma_Y^2)$ and $X_1, X_2, \dots, X_m \sim N(\mu_X, \sigma_X^2)$ are two independent samples. The sample means and sample variances are respectively,

$$\bar{Y} = \frac{1}{n} \sum_{i=1}^n Y_i \quad S_Y^2 = \frac{1}{n-1} \sum_{i=1}^n (Y_i - \bar{Y})^2,$$

$$\bar{X} = \frac{1}{m} \sum_{i=1}^m X_i \quad S_X^2 = \frac{1}{m-1} \sum_{i=1}^m (X_i - \bar{X})^2.$$

Note that, $\sum_{i=1}^n (Y_i - \bar{Y})^2 = (\sum_{i=1}^n Y_i^2) - n\bar{Y}^2$.

The (two-sample) pooled sample variance is $S_p^2 = \frac{(n-1)S_Y^2 + (m-1)S_X^2}{n+m-2}$.

The ECDF function is: $F(t) = \frac{1}{n} \sum_{i=1}^n 1\{Y_i \leq t\}$.

Sampling Distributions:

$$\frac{\bar{Y} - \mu_Y}{\sigma_Y / \sqrt{n}} \sim Z \quad \frac{\bar{Y} - \mu_Y}{S_Y / \sqrt{n}} \sim t_{n-1} \quad \frac{(\bar{Y} - \bar{X}) - (\mu_Y - \mu_X)}{S_p \sqrt{\frac{1}{n} + \frac{1}{m}}} \sim t_{n+m-2} \text{ if } \sigma_X = \sigma_Y.$$

Confidence Intervals for the Mean:

If σ_Y is known, use $(\bar{y} \pm z^* \sigma_Y / \sqrt{n})$.

If σ_Y estimated by s_Y , use $(\bar{y} \pm t^* s_Y / \sqrt{n})$.

Confidence Intervals for the Difference in Means for Independent Samples:

If σ_Y and σ_X are known, use $(\bar{y} - \bar{x}) \pm z^* \sqrt{\frac{\sigma_Y^2}{n} + \frac{\sigma_X^2}{m}}$.

If σ_Y and σ_X are unknown but assumed equal, use $(\bar{y} - \bar{x}) \pm t^* s_p \sqrt{\frac{1}{n} + \frac{1}{m}}$.

Hypothesis Test Basics:

Type I error: Rejection of the null hypothesis falsely (rejecting the null hypothesis when it is actually true).

Type II error: Non-rejection (retention) of the null hypothesis falsely (not-rejecting the null hypothesis when the alternative hypothesis is true).

$$\Pr(\text{type I error}) = \Pr(\text{reject } H_0 \mid H_0 \text{ holds})$$

$$\Pr(\text{type II error}) = \Pr(\text{not reject } H_0 \mid H_A \text{ holds})$$

Significance level : $\alpha = \Pr(\text{type I error})$

Power = $1 - \Pr(\text{type II error})$

General Hypothesis Test Procedure:

- i. Write down the null and alternative hypotheses.
- ii. Select an appropriate test statistic for the test and compute it based on data.
- iii. Sketch the distribution of the test statistic and mark the observed value on the plot (also the "opposite" value if the test is two-sided).
- iv. Compute the tail area (or bounds for the tail area), which gives the p-value (multiply the area by 2 for a two-sided alternative hypothesis).
- v. State the conclusion: If computationally possible, report the p-value; otherwise, compare the test statistic with the critical value.

Hypothesis Tests for the Mean:

To test against $H_0 : \mu = \mu_0$: If σ_Y is known, use: $\frac{(\bar{y} - \mu_0)}{\sigma_Y / \sqrt{n}}$ and the standard Normal

distribution; otherwise, use: $\frac{(\bar{y} - \mu_0)}{s_Y / \sqrt{n}}$ and the t_{n-1} - distribution.

Hypothesis Tests for the Difference in Means for Independent Samples:

To test against $H_0 : \mu_Y = \mu_X$: If σ_Y and σ_X are known, use $\frac{\bar{y} - \bar{x}}{\sqrt{\frac{\sigma_Y^2}{n} + \frac{\sigma_X^2}{m}}}$ as a test statistic.

If σ_Y and σ_X are unknown but assumed equal, use $\frac{\bar{y} - \bar{x}}{s_P \sqrt{\frac{1}{n} + \frac{1}{m}}}$ as a test statistic.

Single Factorial Models (analysed through ANOVA):

For factor levels $i=1, \dots, k$, $Y_{i,j} = \mu_i + \varepsilon_{i,j}$, with $\varepsilon_{i,j} \sim N(0, \sigma^2)$.

Simple Linear Regression (estimated through least squares):

$$Y_j = \beta_0 + \beta_1 x_j + \varepsilon_j, \text{ with } \varepsilon_j \sim N(0, \sigma^2).$$

Standard Normal Cumulative Probabilities

z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09	z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
-3.4	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0002	0.0	.5000	.5040	.5080	.5120	.5160	.5199	.5239	.5279	.5319	.5359
-3.3	.0005	.0005	.0005	.0004	.0004	.0004	.0004	.0004	.0004	.0003	0.1	.5398	.5438	.5478	.5517	.5557	.5596	.5636	.5675	.5714	.5753
-3.2	.0007	.0007	.0006	.0006	.0006	.0006	.0006	.0006	.0005	.0005	0.2	.5793	.5832	.5871	.5910	.5948	.5987	.6026	.6064	.6103	.6141
-3.1	.0010	.0009	.0009	.0009	.0008	.0008	.0008	.0008	.0007	.0007	0.3	.6179	.6217	.6255	.6293	.6331	.6368	.6406	.6443	.6480	.6517
-3.0	.0013	.0013	.0013	.0012	.0012	.0011	.0011	.0011	.0010	.0010	0.4	.6554	.6591	.6628	.6664	.6700	.6736	.6772	.6808	.6844	.6879
-2.9	.0019	.0018	.0018	.0017	.0016	.0016	.0015	.0015	.0014	.0014	0.5	.6915	.6950	.6985	.7019	.7054	.7088	.7123	.7157	.7190	.7224
-2.8	.0026	.0025	.0024	.0023	.0023	.0022	.0021	.0021	.0020	.0019	0.6	.7257	.7291	.7324	.7357	.7389	.7422	.7454	.7486	.7517	.7549
-2.7	.0035	.0034	.0033	.0032	.0031	.0030	.0029	.0028	.0027	.0026	0.7	.7580	.7611	.7642	.7673	.7704	.7734	.7764	.7794	.7823	.7852
-2.6	.0047	.0045	.0044	.0043	.0041	.0040	.0039	.0038	.0037	.0036	0.8	.7881	.7910	.7939	.7967	.7995	.8023	.8051	.8078	.8106	.8133
-2.5	.0062	.0060	.0059	.0057	.0055	.0054	.0052	.0051	.0049	.0048	0.9	.8159	.8186	.8212	.8238	.8264	.8289	.8315	.8340	.8365	.8389
-2.4	.0082	.0080	.0078	.0075	.0073	.0071	.0069	.0068	.0066	.0064	1.0	.8413	.8438	.8461	.8485	.8508	.8531	.8554	.8577	.8599	.8621
-2.3	.0107	.0104	.0102	.0099	.0096	.0094	.0091	.0089	.0087	.0084	1.1	.8643	.8665	.8686	.8708	.8729	.8749	.8770	.8790	.8810	.8830
-2.2	.0139	.0136	.0132	.0129	.0125	.0122	.0119	.0116	.0113	.0110	1.2	.8849	.8869	.8888	.8907	.8925	.8944	.8962	.8980	.8997	.9015
-2.1	.0179	.0174	.0170	.0166	.0162	.0158	.0154	.0150	.0146	.0143	1.3	.9032	.9049	.9066	.9082	.9099	.9115	.9131	.9147	.9162	.9177
-2.0	.0228	.0222	.0217	.0212	.0207	.0202	.0197	.0192	.0188	.0183	1.4	.9192	.9207	.9222	.9236	.9251	.9265	.9279	.9292	.9306	.9319
-1.9	.0287	.0281	.0274	.0268	.0262	.0256	.0250	.0244	.0239	.0233	1.5	.9332	.9345	.9357	.9370	.9382	.9394	.9406	.9418	.9429	.9441
-1.8	.0359	.0351	.0344	.0336	.0329	.0322	.0314	.0307	.0301	.0294	1.6	.9452	.9463	.9474	.9484	.9495	.9505	.9515	.9525	.9535	.9545
-1.7	.0446	.0436	.0427	.0418	.0409	.0401	.0392	.0384	.0375	.0367	1.7	.9554	.9564	.9573	.9582	.9591	.9599	.9608	.9616	.9625	.9633
-1.6	.0548	.0537	.0526	.0516	.0505	.0495	.0485	.0475	.0465	.0455	1.8	.9641	.9649	.9656	.9664	.9671	.9678	.9686	.9693	.9699	.9706
-1.5	.0668	.0655	.0643	.0630	.0618	.0606	.0594	.0582	.0571	.0559	1.9	.9713	.9719	.9726	.9732	.9738	.9744	.9750	.9756	.9761	.9767
-1.4	.0808	.0793	.0778	.0764	.0749	.0735	.0721	.0708	.0694	.0681	2.0	.9773	.9778	.9783	.9788	.9793	.9798	.9803	.9808	.9812	.9817
-1.3	.0968	.0951	.0934	.0918	.0901	.0885	.0869	.0853	.0838	.0823	2.1	.9821	.9826	.9830	.9834	.9838	.9842	.9846	.9850	.9854	.9857
-1.2	.1151	.1131	.1112	.1093	.1075	.1056	.1038	.1020	.1003	.0985	2.2	.9861	.9864	.9868	.9871	.9875	.9878	.9881	.9884	.9887	.9890
-1.1	.1357	.1335	.1314	.1292	.1271	.1251	.1230	.1210	.1190	.1170	2.3	.9893	.9896	.9898	.9901	.9904	.9906	.9909	.9911	.9913	.9916
-1.0	.1587	.1562	.1539	.1515	.1492	.1469	.1446	.1423	.1401	.1379	2.4	.9918	.9920	.9922	.9925	.9927	.9929	.9931	.9932	.9934	.9936
-0.9	.1841	.1814	.1788	.1762	.1736	.1711	.1685	.1660	.1635	.1611	2.5	.9938	.9940	.9941	.9943	.9945	.9946	.9948	.9949	.9951	.9952
-0.8	.2119	.2090	.2061	.2033	.2005	.1977	.1949	.1922	.1894	.1867	2.6	.9953	.9955	.9956	.9957	.9959	.9960	.9961	.9962	.9963	.9964
-0.7	.2420	.2389	.2358	.2327	.2297	.2266	.2236	.2206	.2177	.2148	2.7	.9965	.9966	.9967	.9968	.9969	.9970	.9971	.9972	.9973	.9974
-0.6	.2743	.2709	.2676	.2643	.2611	.2578	.2546	.2514	.2483	.2451	2.8	.9974	.9975	.9976	.9977	.9978	.9979	.9979	.9980	.9981	.9981
-0.5	.3085	.3050	.3015	.2981	.2946	.2912	.2877	.2843	.2810	.2776	2.9	.9981	.9982	.9983	.9983	.9984	.9984	.9985	.9985	.9986	.9986
-0.4	.3446	.3409	.3372	.3336	.3300	.3264	.3228	.3192	.3156	.3121	3.0	.9987	.9987	.9987	.9988	.9988	.9989	.9989	.9989	.9990	.9990
-0.3	.3821	.3783	.3745	.3707	.3669	.3632	.3594	.3557	.3520	.3483	3.1	.9990	.9991	.9991	.9991	.9992	.9992	.9992	.9992	.9993	.9993
-0.2	.4207	.4168	.4129	.4090	.4052	.4013	.3974	.3936	.3897	.3859	3.2	.9993	.9993	.9994	.9994	.9994	.9994	.9994	.9995	.9995	.9995
-0.1	.4602	.4562	.4522	.4483	.4443	.4404	.4364	.4325	.4286	.4247	3.3	.9995	.9995	.9996	.9996	.9996	.9996	.9996	.9996	.9996	.9997
-0.0	.5000	.4960	.4920	.4880	.4840	.4801	.4761	.4721	.4681	.4641	3.4	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9998

This table was generated using the "CDF" command in Minitab.

t-Distribution Quantiles

ν	Q(.9)	Q(.95)	Q(.975)	Q(.99)	Q(.995)	Q(.999)	Q(.9995)
1	3.078	6.314	12.706	31.821	63.657	318.317	636.607
2	1.886	2.920	4.303	6.965	9.925	22.327	31.598
3	1.638	2.353	3.182	4.541	5.841	10.215	12.924
4	1.533	2.132	2.776	3.747	4.604	7.173	8.610
5	1.476	2.015	2.571	3.365	4.032	5.893	6.869
6	1.440	1.943	2.447	3.143	3.707	5.208	5.959
7	1.415	1.895	2.365	2.998	3.499	4.785	5.408
8	1.397	1.860	2.306	2.896	3.355	4.501	5.041
9	1.383	1.833	2.262	2.821	3.250	4.297	4.781
10	1.372	1.812	2.228	2.764	3.169	4.144	4.587
11	1.363	1.796	2.201	2.718	3.106	4.025	4.437
12	1.356	1.782	2.179	2.681	3.055	3.930	4.318
13	1.350	1.771	2.160	2.650	3.012	3.852	4.221
14	1.345	1.761	2.145	2.624	2.977	3.787	4.140
15	1.341	1.753	2.131	2.602	2.947	3.733	4.073
16	1.337	1.746	2.120	2.583	2.921	3.686	4.015
17	1.333	1.740	2.110	2.567	2.898	3.646	3.965
18	1.330	1.734	2.101	2.552	2.878	3.610	3.922
19	1.328	1.729	2.093	2.539	2.861	3.579	3.883
20	1.325	1.725	2.086	2.528	2.845	3.552	3.849
21	1.323	1.721	2.080	2.518	2.831	3.527	3.819
22	1.321	1.717	2.074	2.508	2.819	3.505	3.792
23	1.319	1.714	2.069	2.500	2.807	3.485	3.768
24	1.318	1.711	2.064	2.492	2.797	3.467	3.745
25	1.316	1.708	2.060	2.485	2.787	3.450	3.725
26	1.315	1.706	2.056	2.479	2.779	3.435	3.707
27	1.314	1.703	2.052	2.473	2.771	3.421	3.690
28	1.313	1.701	2.048	2.467	2.763	3.408	3.674
29	1.311	1.699	2.045	2.462	2.756	3.396	3.659
30	1.310	1.697	2.042	2.457	2.750	3.385	3.646
40	1.303	1.684	2.021	2.423	2.704	3.307	3.551
60	1.296	1.671	2.000	2.390	2.660	3.232	3.460
120	1.289	1.658	1.980	2.358	2.617	3.160	3.373
∞	1.282	1.645	1.960	2.326	2.576	3.090	3.291

This table was generated using the "INVCDF" command in Minitab.